$\sim$		
	Application No.	Applicant(s)
Notice of Allowability	10/724,014	AYERS, ANDREW D.
	Examiner	Art Unit
	Yvonne R. Abbott	3644
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.31	6 (OR REMAINS) CLOSED ) or other appropriate com RIGHTS. This application i	in this application. If not included munication will be mailed in due course. THIS
1. This communication is responsive to <u>amendment of 3/22/05</u> .		
2. The allowed claim(s) is/are <u>1-30 and 32-41</u> .		
3. The drawings filed on 11/24/03 are accepted by the Examiner.		
<ul> <li>4. Acknowledgment is made of a claim for foreign priority unally All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have</li> <li>2. Certified copies of the priority documents have</li> <li>3. Copies of the certified copies of the priority documents have</li> <li>International Bureau (PCT Rule 17.2(a)).</li> </ul>	e been received. e been received in Applica	tion No
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MA FOR THE DEPOSIT OF I	TERIAL must be submitted. Note the BIOLOGICAL MATERIAL.
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/	6. ☐ Interview Paper N	Informal Patent Application (PTO-152) Summary (PTO-413), o./Mail Date r's Amendment/Comment
Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. <b>⊠</b> Examine 9. ☐ Other	Yvonne R. Abbott Primary Examiner
	•	Art Unit: 3644

Application/Control Number: 10/724,014

Art Unit: 3644

## **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance: the claims in this application have been allowed because the prior art, alone or in combination, does not disclose a method of culturing marine species comprising the steps of: providing saline water from an inland saline aguifer, the saline water from said aguifer being substantially free of toxic heavy metals and other pollutants; providing a reservoir to contain the saline water, wherein the saline water in the reservoir has been aerated and allowed to settle to reduce the level iron, copper, manganese zinc and silver in the saline water, thereby producing clarified saline water; and culturing at least one marine species in a grow out containment area comprising the clarified saline water. Nor is it disclosed in the prior art a system for the aquaculture of marine species comprising: an inland saline water aquifer that provides saline water, after aeration below, having no more than the EPA acceptable levels of toxic heavy metals for drinking water; at least one aeration tower that promotes the precipitation of undesired metals or metal ions in the saline water thereby forming clarified saline water; at least one reservoir containing water obtained directly or indirectly from the aquifer; at least one containment area selected from the group consisting of a pond, tank, raceway, bioreactor, photobioreactor, turbidostat, bag system and tower system, the containment area containing the clarified saline water obtained from the reservoir; a culture of at least one marine species in the saline water in the at least one containment area; and at least one first processing system for harvesting at least a portion of the culture of the at Application/Control Number: 10/724,014 Page 3

Art Unit: 3644

least one marine species from the saline water thereby forming a harvested marine

species mass.

Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Yvonne R. Abbott whose telephone number is (571)

272-6896. The examiner can normally be reached on Tuesday-Friday 9:30am-6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Teri Luu can be reached on (571) 272-7045. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR. Status

information for unpublished applications is available through Private PAIR only. For

more information about the PAIR system, see http://pair-direct.uspto.gov. Should you

have questions on access to the Private PAIR system, contact the Electronic Business

Center (EBC) at 866-217-9197 (toll-free).

Yvonne R. Abbott

Primary Examiner
Art Unit 3644